


**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160020        |
|--------------------|-------------------|
| dn [mm]            | 20                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 35                |

| dn        | [mm]             | 20     |        |     |    |
|-----------|------------------|--------|--------|-----|----|
| h         | [mm]             | 49     |        |     |    |
| Z         | [mm]             | 75     |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        | WEIGHT | [g] | 30 |
| Tolerance | e: +/- 5% exclud | ing dn |        |     |    |

NOTE:

# **MARKING AND LABEL on fitting**



PE100 d20 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.



# 90° elbow

# TECHNICAL DATASHEET


**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





25 53

| IIEM               | 2010160025        |
|--------------------|-------------------|
| dn [mm]            | 25                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |

| Z          | [mm]          | 80     |    |
|------------|---------------|--------|----|
|            |               |        |    |
|            |               |        |    |
|            |               |        |    |
|            |               |        |    |
|            |               |        |    |
|            |               |        |    |
|            |               |        |    |
|            |               |        | WE |
| Toloranco: | 1/ 5% oveludi | ina dn |    |

[mm]

[mm]

WEIGHT [g] 50

QUANTITY PER BOX 25 Tolerance: +/- 5% excluding dn

**MARKING AND LABEL on fitting** 

**EURO** 

dn

h

PE100 d25 PN16 SDR11

# STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

NOTE:

ITEM

#### **INFOS**

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.



# 90° elbow

# TECHNICAL DATASHEET


PN16

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160032        |
|--------------------|-------------------|
| dn [mm]            | 32                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 15                |

| dn        | [mm]             | 32     |        |     |   |
|-----------|------------------|--------|--------|-----|---|
| h         | [mm]             | 59     |        |     |   |
| Z         | [mm]             | 89     |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        |        |     |   |
|           |                  |        | WEIGHT | [g] | 5 |
| Tolerance | e: +/- 5% exclud | ing dn |        |     |   |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d32 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160040        |
|--------------------|-------------------|
| dn [mm]            | 40                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |

22

| dn        | [mm]             | 40     |        |     |    |
|-----------|------------------|--------|--------|-----|----|
| h         | [mm]             | 59     |        |     |    |
| Z         | [mm]             | 85     |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        |        |     |    |
|           |                  |        | WEIGHT | [g] | 75 |
| Tolerance | e: +/- 5% exclud | ing dn |        |     |    |

NOTE:

**QUANTITY PER BOX** 

**MARKING AND LABEL on fitting** 



PE100 d40 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.



# 90° elbow


# TECHNICAL DATASHEET

**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**



50 60

| ITEM               | 2010160050        |
|--------------------|-------------------|
| dn [mm]            | 50                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |

| Z          | [mm]      | 89 |
|------------|-----------|----|
|            |           |    |
|            |           |    |
|            |           |    |
|            |           |    |
|            |           |    |
|            |           |    |
|            |           |    |
| <b>T</b> . | / 50/ 1 1 | V  |

[mm]

[mm]

| ı |        |     |     |
|---|--------|-----|-----|
| - |        |     |     |
| . |        |     |     |
|   |        |     |     |
|   |        |     |     |
|   | WEIGHT | [g] | 120 |
|   |        | .03 |     |

QUANTITY PER BOX 14

Tolerance: +/- 5% excluding dn

NOTE:

# **MARKING AND LABEL on fitting**



dn

h

PE100 d50 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160063        |
|--------------------|-------------------|
| dn [mm]            | 63                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |

15

| dn        | [mm]            | 63      |        |     |     |
|-----------|-----------------|---------|--------|-----|-----|
| h         | [mm]            | 68      |        |     |     |
| Z         | [mm]            | 103     |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         | WEIGHT | [g] | 235 |
| Tolerance | : +/- 5% exclud | ling dn |        |     |     |

NOTE:

**QUANTITY PER BOX** 

**MARKING AND LABEL on fitting** 



PE100 d63 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160075        |
|--------------------|-------------------|
| dn [mm]            | 75                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |

10

| dn        | [mm]                           | 75  |        |     |    |
|-----------|--------------------------------|-----|--------|-----|----|
| h         | [mm]                           | 75  |        |     |    |
| Z         | [mm]                           | 130 |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     |        |     |    |
|           |                                |     | WEIGHT | [g] | 38 |
| Tolerance | Tolerance: +/- 5% excluding dn |     |        |     |    |

NOTE:

**QUANTITY PER BOX** 

**MARKING AND LABEL on fitting** 



PE100 d75 SDR11 PN16

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160090        |
|--------------------|-------------------|
| dn [mm]            | 90                |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 6                 |

| dn        | [mm]            | 90      |        |     |     |
|-----------|-----------------|---------|--------|-----|-----|
| h         | [mm]            | 84      |        |     |     |
| Z         | [mm]            | 147     |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         |        |     |     |
|           |                 |         | WEIGHT | [g] | 640 |
| Tolerance | : +/- 5% exclud | dina dn |        |     |     |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d90 SDR11 PN16

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160110        |
|--------------------|-------------------|
| dn [mm]            | 110               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 6                 |

| dn        | [mm]            | 110     |        |     |   |
|-----------|-----------------|---------|--------|-----|---|
| h         | [mm]            | 86      |        |     |   |
| Z         | [mm]            | 160     |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         | WEIGHT | [g] | 1 |
| Tolerance | : +/- 5% exclud | ling dn |        |     |   |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d110 SDR11 PN16

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160125        |
|--------------------|-------------------|
| dn [mm]            | 125               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 1                 |

| dn | [mm] | 125 |        |     |   |
|----|------|-----|--------|-----|---|
| h  | [mm] | 89  |        |     |   |
| Z  | [mm] | 159 |        |     |   |
|    |      |     |        |     |   |
|    |      |     |        |     |   |
|    |      |     |        |     |   |
|    |      |     |        |     |   |
|    |      |     |        |     |   |
|    |      |     |        |     |   |
|    |      |     |        |     |   |
|    |      |     | WEIGHT | [g] | 1 |
|    |      |     |        |     |   |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d125 SDR11 PN16

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160140        |
|--------------------|-------------------|
| dn [mm]            | 140               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| OLIANTITY PER BOX  | 1                 |

| dn        | [mm]             | 140     |        |     |     |
|-----------|------------------|---------|--------|-----|-----|
| h         | [mm]             | 94      |        |     |     |
| Z         | [mm]             | 172     |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         |        |     |     |
|           |                  |         | WEIGHT | [g] | 179 |
| Tolerance | e: +/- 5% exclud | ding dn |        |     |     |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d140 SDR11 PN16

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

# **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160160        |
|--------------------|-------------------|
| dn [mm]            | 160               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 6                 |
|                    |                   |

| dn        | [mm]            | 160     |        |     |      |
|-----------|-----------------|---------|--------|-----|------|
| h         | [mm]            | 115     |        |     |      |
| Z         | [mm]            | 225     |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         |        |     |      |
|           |                 |         | WEIGHT | [g] | 3000 |
| Tolerance | : +/- 5% exclud | ling dn |        |     |      |

NOTE:

**MARKING AND LABEL on fitting** 



# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| IIEM               | 2010160180        |
|--------------------|-------------------|
| dn [mm]            | 180               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 1                 |

| dn        | [mm]             | 180     |        |     |    |
|-----------|------------------|---------|--------|-----|----|
| h         | [mm]             | 121     |        |     |    |
| Z         | [mm]             | 235     |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         |        |     |    |
|           |                  |         | WEIGHT | [g] | 39 |
| Tolerance | e: +/- 5% exclud | dina dn |        |     |    |

# **MARKING AND LABEL on fitting**

PE100 d180 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

NOTE:

ITENA

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160200        |
|--------------------|-------------------|
| dn [mm]            | 200               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 1                 |

| dn        | [mm]            | 200     |        |     |   |
|-----------|-----------------|---------|--------|-----|---|
| h         | [mm]            | 127     |        |     |   |
| Z         | [mm]            | 252     |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         |        |     |   |
|           |                 |         | WEIGHT | [g] | 5 |
| Tolerance | : +/- 5% exclud | ding dn |        |     |   |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d200 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| 2010160225        |
|-------------------|
| 225               |
|                   |
| 11                |
| 16                |
| PE100             |
| EURO              |
|                   |
| INJECTION MOULDED |
| WATER-GAS         |
|                   |
| 1                 |
|                   |

| dn         | [mm]          | 225     |        |     |      |
|------------|---------------|---------|--------|-----|------|
| h          | [mm]          | 138     |        |     |      |
| Z          | [mm]          | 274     |        |     |      |
|            |               |         |        |     |      |
|            |               |         |        |     |      |
|            |               |         |        |     |      |
|            |               |         |        |     |      |
|            |               |         |        |     |      |
|            |               |         |        |     |      |
|            |               |         |        |     |      |
|            |               |         | WEIGHT | [g] | 7720 |
| Tolerance: | +/- 5% exclud | ling dn |        |     |      |

NOTE:

**MARKING AND LABEL on fitting** 



PE100 d225 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# **PRODUCT DETAILS**

# **DIMENSIONS AND WEIGHT**





| IIEM               | 2010160250        |
|--------------------|-------------------|
| dn [mm]            | 250               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 1                 |
|                    |                   |

2010160250

| dn        | [mm]            | 250     |        |     |       |
|-----------|-----------------|---------|--------|-----|-------|
| h         | [mm]            | 143     |        |     |       |
| Z         | [mm]            | 300     |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         | WEIGHT | [g] | 10350 |
| Tolerance | : +/- 5% exclud | ling dn |        |     |       |

NOTE:

ITEM

**MARKING AND LABEL on fitting** 



PE100 d250 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160280        |
|--------------------|-------------------|
| dn [mm]            | 280               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 1                 |

| dn        | [mm]             | 280     |        |     |
|-----------|------------------|---------|--------|-----|
| h         | [mm]             | 170     |        |     |
| Z         | [mm]             | 343     |        |     |
|           |                  |         |        |     |
|           |                  |         |        |     |
|           |                  |         |        |     |
|           |                  |         |        |     |
|           |                  |         |        |     |
|           |                  |         |        |     |
|           |                  |         |        |     |
|           |                  |         | WEIGHT | [g] |
| Tolerance | e: +/- 5% exclud | ling dn |        |     |

RBUX 1 Tolerance: +/- 5% excluding

# **MARKING AND LABEL on fitting**

**EURO** 

PE100 d280 PN16 SDR11

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

NOTE:

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




**PN16** 

SDR11

# PRODUCT DETAILS

# **DIMENSIONS AND WEIGHT**





| ITEM               | 2010160315        |
|--------------------|-------------------|
| dn [mm]            | 315               |
| dn1 [mm]           |                   |
| SDR                | 11                |
| PN                 | 16                |
| MATERIAL           | PE100             |
| TRADEMARK          | EURO              |
|                    |                   |
| MANUFACTURING TYPE | INJECTION MOULDED |
| USE                | WATER-GAS         |
|                    |                   |
| QUANTITY PER BOX   | 1                 |

| dn        | [mm]            | 315     |        |     |       |
|-----------|-----------------|---------|--------|-----|-------|
| h         | [mm]            | 180     |        |     |       |
| Z         | [mm]            | 392     |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         |        |     |       |
|           |                 |         | WEIGHT | [g] | 18750 |
| Tolerance | : +/- 5% exclud | ling dn |        |     |       |

NOTE:

# **MARKING AND LABEL on fitting**



PE100 d315 SDR11 PN16

# **STANDARDS AND APPROVALS**

EN 12201 EN 1555 ISO 15494 DVGW

#### **INFOS**

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.